

```
Error executing template "Designs/ProjectZero/_parsed/pdf.parsed.cshtml"
System.InvalidCastException: Specified cast is not valid.
   at CompiledRazorTemplates.Dynamic.RazorEngine_d086dca488a04828b15133339a60cea5.Execute() in D:\dynamicweb.net\Solutions\Earned\pz.net.dynamicweb-cms.com\files\Templates\Designs\ProjectZero\_parsed.cshtml:1
   at RazorEngine.Templating.TemplateBase.RazorEngine.Templating.ITemplate.Run(ExecuteContext context, TextWriter reader)
   at RazorEngine.Templating.RazorEngineService.RunCompile(ITemplateKey key, TextWriter writer, Type modelType, Object model, DynamicViewBag viewBag)
   at RazorEngine.Templating.RazorEngineServiceExtensions.<_c__DisplayClass16_0.b_0(TextWriter writer)
   at RazorEngine.Templating.RazorEngineServiceExtensions.WithWriter(Action`1 withWriter)
   at Dynamicweb.Rendering.Template.RenderRazorTemplate()
```

```
1 @inherits RazorTemplateBase< RazorTemplateModel< Template >>
2 @using System;
3 @using Dynamicweb.Rendering;
4 @using Dynamicweb.Frontend;
5
6 <!DOCTYPE html>
7 <html lang="en">
8 <head>
9 <meta http-equiv="Content-Type" content="text/html; charset=utf-8">
10 <meta http-equiv="X-UA-Compatible" content="IE=edge">
11 <meta name="viewport" content="width=device-width, initial-scale=1">
12 <title>@GetValue("Title")</title>
13 @GetValue("MetaTags")
14 @GetValue("CopyRightNotice")
15
16 <!--Bootstrap-->
17 <!--<link rel="shortcut icon" type="image/ico" href="/images/favicon.ico"/>-->
18 <link href="/Files/Templates/Designs/ProjectZero/css/bootstrap.min.css" rel="stylesheet">
19 <link href="/Files/Templates/Designs/ProjectZero/css/style.css" rel="stylesheet">
20 <link href="/Files/Templates/Designs/ProjectZero/css/jquery.bxslider.css" rel="stylesheet">
21 <link href="/Files/Templates/Designs/ProjectZero/css/yamm.css" rel="stylesheet">
22 <link href="/Files/Templates/Designs/ProjectZero/css/owl.carousel.css" rel="stylesheet">
23 <link href="/Files/Templates/Designs/ProjectZero/css/owl.theme.css" rel="stylesheet">
24 <link href="/Files/Templates/Designs/ProjectZero/css/opensans.css" rel="stylesheet" type="text/css">
25 <link href="/Files/Templates/Designs/ProjectZero/css/font-awesome.css" rel="stylesheet">
26 <link rel="stylesheet" href="/Files/Templates/Designs/ProjectZero/css/daterangepicker.css" type="text/css">
27 <link rel="stylesheet" href="/Files/Templates/Designs/ProjectZero/css/jquery.cookiebar.css" type="text/css">
28 <!--<link rel="stylesheet" href="/css/prettyPhoto.css" type="text/css"/>-->
29
30 <!--[if IE]><link rel="shortcut icon" href="/Files/Templates/Designs/ProjectZero/images/favicon.ico"><![endif]>-->
31 <link rel="icon" href="/Files/Templates/Designs/ProjectZero/images/favicon.ico">
32
33
34
35 @*@if (@GetString("DwTopPageID") != "1")
36 {
37 <link href="/Files/Templates/Designs/ProjectZero/css/@GetString("DwTopPageID")theme.css" rel="stylesheet">
38 }*@
39 <!-- Google Analytics -->
40 <script>
41 (function(i,s,o,g,r,a,m){i['GoogleAnalyticsObject']=r;i[r]=i[r]||function(){
42 (i[r].q=i[r].q||[]).push(arguments)},i[r].l=1*new Date()>a=s.createElement(o),
43 m=s.getElementsByTagName(o)[0];a.async=1;a.src=g;m.parentNode.insertBefore(a,m)
44 })(window,document,'script','/www.google-analytics.com/analytics.js','ga');
45
46
47 if (@GetInteger("DwAreaID") == 1) {
48 ga('create', 'UA-66343544-1', 'auto');
49 }
50 if (@GetInteger("DwAreaID") == 20) {
51 ga('create', 'UA-66343544-2', 'auto');
52 }
53 if (@GetInteger("DwAreaID") == 21) {
54 ga('create', 'UA-66343544-3', 'auto');
55 }
56 // console.log(ga);
57 ga('require', 'linkid');
58 ga('send', 'pageview');
59
60 </script>
61 <!-- Hotjar Tracking Code for http://www.projectzero.dk/ -->
62 <script>
63 (function(h,o,t,j,a,r){
64 h.hj=h.hj||function(){(h.hj.q=h.hj.q||[]).push(arguments)};
65 h._hjSettings={hjid:293440,hjsv:5};
66 a=o.getElementsByTagName('head')[0];
67 r=o.createElement('script');r.async=1;
68 r.src=t+h._hjSettings.hjid+j+h._hjSettings.hjsv;
69 a.appendChild(r);
70 })(window,document,'/static.hotjar.com/c/hotjar-','.js?sv=');
71 </script>
72
73 <!-- End Google Analytics -->
74 <script src="https://maps.googleapis.com/maps/api/js?v=3.exp"></script>
75 @GetValue("Stylesheets")
76 @GetValue("Javascrpts")
77 </head>
78 <body class="@GetString("DwAreaName")">
79 <!-- The headsection of the homepage -->
80 <header>
81 <!-- The top bar with language and topmenu -->
82 <div class="topbar">
83 <div class="container nopad">
84 </div>
85 </div>
86 </header>
87
88 <!-- The slider -->
89 <div class="container nopad sliderwrapper">
90 <div class="bgwhite">
91 <div class="logowrapper" style="margin-top:0px !important;float:none !important;">
92 <!---->
93 </div>
94
95 <!-- The Content of the homepage -->
96
97 <div class="container nopad mainnewswrapper">
98 <!-- News content -->
99 <div id="outernewswrapper" class="col-md-12">
100 {
101 var sql1 = "SELECT N.Title, N.Image, N.ImageCaption, N.HideTitle, N.Teaser, N.Content, N.HideDate, N.Date FROM Page P JOIN ItemType_Nyhed N ON N.Id = P.PageItemId WHERE N.Id = '" + System
102 using (var reader = Dynamicweb.Data.Database.CreateDataReader(sql1)) {
103 while (reader.Read()) {
104 if (!string.IsNullOrEmpty((String)reader["Image"])) {
105 <div class="row liquid">
106 <div class="col-md-12 nopad">
107 
108 </div>
109 <div class="col-md-12 nopad newsimagecaption">
110 <p>@reader["ImageCaption"]</p>
111 </div>
112 </div>
113 <div class="row nopad">
114 <div class="divider">
115 </div>
116 </div>
117
118 }
119 }
120 }
```

```

121 }
122
123 <div class="row nopad">
124 <div class="col-md-8 newstext">
125 @if
126 var sql2 = "SELECT N.Title, N.Image, N.ImageCaption, N.HideTitle, N.Teaser, N.Content, N.HideDate, N.Date FROM Page P JOIN ItemType_Nyhed N ON N.Id = P.PageItemId WHERE N.Id = '" + System
127 using (var reader = Dynamicweb.Data.Database.CreateDataReader(sql2)) {
128 while (reader.Read()) {
129 <div class="row padright">
130 <br>
131 @if ((Boolean)@reader["HideTitle"] == false) {
132 <h2 class="headline">@reader["Title"]</h2>
133 }
134 <div class="runningtext">@reader["Teaser"]</div>
135 <div class="nopadleft contenttext">
136 <article>@reader["Content"]</article>
137 </div>
138 </div>
139 }
140 }
141 }
142
143 <div class="row padright">
144 <div id="Indholdsafsnit">@GetValue("DwContent (Indholdsafsnit)")</div>
145 </div>
146 </div>
147 <div class="col-md-4">
148 @if
149 var sql3 = "SELECT N.Title, N.Image, N.ImageCaption, N.HideTitle, N.Teaser, N.Content, N.HideDate, N.Date, N.Event, N.StartDate, N.EndDate, N.EventFromTime, N.EventToTime, N.EventPrice "
150 using (var reader = Dynamicweb.Data.Database.CreateDataReader(sql3)) {
151 while (reader.Read()) {
152 if ((Boolean)@reader["HideDate"] == false) {
153 <div class="row">
154 <div class="col-md-12">
155 @if ((Boolean)@reader["Event"] != false) {
156 string fromdate = "";
157 string todate = "";
158 string fromtime = "";
159 string totime = "";
160
161 if (!string.IsNullOrEmpty(@GetString("Item.StartDate").ToString())) {
162 fromdate = @GetDate("Item.StartDate").ToString("d. MMMM yyyy");
163 }
164 if (!string.IsNullOrEmpty(@GetString("Item.EventFromTime").ToString())) {
165 fromtime = @GetString("Item.EventFromTime");
166 }
167 if (!string.IsNullOrEmpty(@GetString("Item.EndDate").ToString())) {
168 todate = @GetDate("Item.EndDate").ToString("d. MMMM yyyy");
169 }
170 if (!string.IsNullOrEmpty(@GetString("Item.EventToTime").ToString())) {
171 totime = @GetString("Item.EventToTime");
172 }
173 <p class="nomarg">
174 @if (todate != "" && fromdate != "" && todate == fromdate)
175 {
176 @fromdate
177 if (@fromtime != "")
178 {
179 <span>k.l. @fromtime </span>
180 }
181 if (@totime != "")
182 {
183 <span> - @totime</span>
184 }
185 } else
186 {
187 @fromdate
188 if (@fromtime != "")
189 {
190 <span>k.l. @fromtime </span>
191 }
192 <span> - </span>
193 @todate
194 if (@totime != "")
195 {
196 <span>k.l. @totime</span>
197 }
198 }
199 </p>
200 <!-- if (!string.IsNullOrEmpty(reader["StartDate"].ToString())) {
201 <p class="nomarg">
202 @(((DateTime)@reader["StartDate"]).ToString("d. MMMM yyyy"))
203 @if (!string.IsNullOrEmpty(reader["EventFromTime"].ToString())) {
204 @reader["EventFromTime"]
205 }
206 </p>
207 }
208
209 if (!string.IsNullOrEmpty(reader["EndDate"].ToString())) {
210 <p class="nomarg">
211 @(((DateTime)@reader["EndDate"]).ToString("d. MMMM yyyy"))
212 @if (!string.IsNullOrEmpty(reader["EventToTime"].ToString())) {
213 @reader["EventToTime"]
214 }
215 </p>
216 } -->
217 if (!string.IsNullOrEmpty(reader["EventPrice"].ToString())) {
218 <p class="nomarg">Pris: @reader["EventPrice"]</p>
219 }
220 }
221 else
222 {
223 <p class="nomarg">@(((DateTime)@reader["Date"]).ToString("d. MMMM yyyy"))</p>
224 }
225 </div>
226 </div>
227 <div class="row nopad">
228 <div class="dividerSmall">
229 </div>
230 </div>
231 }
232 }
233 }
234 }
235 }
236
237 <div class="" id="Højre kolonne">
238 @if
239
240 var sqlFact =
241 " SELECT F.Title, F.Text, F.Image, F.ImageCaption " +
242 " FROM [dbo].[Paragraph] P " +
243 " JOIN [dbo].[ItemType_FactBox] F ON F.Id = P.ParagraphItemId " +
244 " WHERE P.[ParagraphPageID] = " + System.Web.HttpContext.Current.Request.QueryString["PageId"] + "";
245
246
247 using (var reader = Dynamicweb.Data.Database.CreateDataReader(sqlFact)) {
248 while (reader.Read()) {
249 <div class="row">
250 <div class="col-md-12 nopadleft">

```

```

251 <div class="panel factbox-wrapper">
252 <div class="panel-heading factbox-header">
253 <h3 class="panel-title">
254 @if (!@reader["Title"].ToString().StartsWith("DNS")) {
255 @reader["Title"].ToString()
256 }
257 </h3>
258 </div>
259 <div class="panel-body factbox-content">
260 @if (!string.IsNullOrEmpty(@reader["Image"].ToString())) {
261 <div class="imageborder">
262 
263 </div>
264 }
265 @if (!string.IsNullOrEmpty(@reader["ImageCaption"].ToString())) {
266 <p class="imagecaptiontext">
267 @reader["ImageCaption"]
268 </p>
269 }
270 @if (!string.IsNullOrEmpty(@reader["Text"].ToString())) {
271 <p>
272 @reader["Text"].ToString()
273 </p>
274 }
275 </div>
276 </div>
277 </div>
278 </div>
279 }
280 }
281 }
282 </div>
283 </div>
284 </div>
285 </div>
286 <div>
287 @if
288 var sqlRelated = "";
289 var regex = new System.Text.RegularExpressions.Regex("(^[^>]+)>");
290 }
291 @if
292 sqlRelated =
293 "SELECT DISTINCT P.PageID, N.Title, N.date, N.teaser, N.predefinedtags, COALESCE(NULLIF(N.carousel_image, ''), NULLIF(N.image, ''), NULLIF(NP.picture, '')), '/Files/Templates/Designs/ProjectZero/'
294 "FROM Page P " +
295 "JOIN ItemType_Nyhed N ON N.id = P.PageItemId " +
296 "LEFT JOIN newsPictures NP ON NP.PageId = P.PageID " +
297 "WHERE P.PageId = (SELECT RelatedNews1 FROM [Page] JOIN ItemType_Nyhed ON ItemType_Nyhed.id = Page.pageItemId WHERE pageId = '" + System.Web.HttpContext.Current.Request.QueryString["PageId"] + "')
298 "UNION " +
299 "SELECT DISTINCT P.PageID, N.Title, N.date, N.teaser, N.predefinedtags, COALESCE(NULLIF(N.carousel_image, ''), NULLIF(N.image, ''), NULLIF(NP.picture, '')), '/Files/Templates/Designs/ProjectZero/'
300 "FROM Page P " +
301 "JOIN ItemType_Nyhed N ON N.id = P.PageItemId " +
302 "LEFT JOIN newsPictures NP ON NP.PageId = P.PageID " +
303 "WHERE P.PageId = (SELECT RelatedNews2 FROM [Page] JOIN ItemType_Nyhed ON ItemType_Nyhed.id = Page.pageItemId WHERE pageId = '" + System.Web.HttpContext.Current.Request.QueryString["PageId"] + "')
304 "UNION " +
305 "SELECT DISTINCT P.PageID, N.Title, N.date, N.teaser, N.predefinedtags, COALESCE(NULLIF(N.carousel_image, ''), NULLIF(N.image, ''), NULLIF(NP.picture, '')), '/Files/Templates/Designs/ProjectZero/'
306 "FROM Page P " +
307 "JOIN ItemType_Nyhed N ON N.id = P.PageItemId " +
308 "LEFT JOIN newsPictures NP ON NP.PageId = P.PageID " +
309 "WHERE P.PageId = (SELECT RelatedNews3 FROM [Page] JOIN ItemType_Nyhed ON ItemType_Nyhed.id = Page.pageItemId WHERE pageId = '" + System.Web.HttpContext.Current.Request.QueryString["PageId"] + "')
310 }
311 @using (var reader = Dynamicweb.Data.Database.CreateDataReader(sqlRelated)) {
312 while (reader.Read()) {
313 <div class="col-md-4 newsitem">
314 <span style="display: none" class="hdnDate">@reader["date"]</span>
315 <a href="/Default.aspx?ID=@reader["PageID"]">
316 <div class="newswrapper">
317 <div class="newsheader">
318 <div class="newsheadertext">@(new string(((String) reader["Title"]).Take(30).ToArray()))</div>
319 </div>
320 <div class="newsimage">
321 
322 </div>
323 <div class="newscontent">
324 <div>@( ((DateTime) reader["Date"]).ToShortDateString())</div>
325 <p>@(new string(regex.Replace((String) reader["Teaser"], "").Take(150).ToArray()).Replace("a href=", "").Replace(">", "").Replace("<", "").Replace("&#34;", ""))...</p>
326 </div>
327 </div>
328 </a>
329 </div>
330 }
331 }
332 </div>
333 </div>
334 </div>
335 <div id="map">@GetValue("DwContent(map)")</div>
336 </div>
337 </div>
338 </div>
339 </div>
340 </div>
341 </div>
342 <!-- The footer of the homepage -->
343 <footer>
344 <div class="row footerContentWrapper">
345 <p>ProjectZero | Alision 2 | 6400 Sønderborg | tlf. 31 68 30 90 | <a href="mailto:post@projectzero.dk">post@projectzero.dk</a> | CVR 29 21 56 42</p>
346 </div>
347 </footer>
348 </div>
349 </div>
350 <div style="display:none;"><input id="colorcatcher" type="text" name="colorcatcher" value="@GetString("DwTopPageID")"></div>
351 </div>
352 </div>
353 </div>
354 @* @TemplateTags() *@
355 <!-- Scripts -->
356 <!-- jQuery (necessary for Bootstrap's JavaScript plugins) -->
357 <script src="/Files/Templates/Designs/ProjectZero/js/jquery.min.js"></script>
358 <!-- Include all compiled plugins (below), or include individual files as needed -->
359 <script src="/Files/Templates/Designs/ProjectZero/js/bootstrap.min.js"></script>
360 <script src="/Files/Templates/Designs/ProjectZero/js/holder.js"></script>
361 <script type="text/javascript">
362 var DWlanguageLayerId = @GetInteger("DwAreaID");
363 // console.log(DWlanguageLayerId)
364 </script>
365 <!-- HTML5 Shim and Respond.js IE8 support of HTML5 elements and media queries -->
366 <!-- WARNING: Respond.js doesn't work if you view the page via file:// -->
367 <!--[if lt IE 9]>
368 <script src="https://oss.maxcdn.com/html5shiv/3.7.2/html5shiv.min.js"></script>
369 <script src="https://oss.maxcdn.com/respond/1.4.2/respond.min.js"></script>
370 <![endif]-->
371 </div>
372 </div>
373 </div>
374 <script>
375 $(document).ready(function() {
376 $.ajaxSetup({cache:false});
377 });
378 </script>
379 </body>
380 </html>

```

